Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	840	(overrun overflow (over adj (run flow))) same (underflow underrun (under adj (flow run))) same (add$3 insert$3 embed$3) same (remov$3 delect$3 discard$3 drop$4 substarct$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:22
L3	26	(overrun overflow (over adj (run flow))) same (underflow underrun (under adj (flow run))) same (add$3 insert$3 embed$3) same (remov$3 delect$3 discard$3 drop$4 substarct$3) same (idle primitive null)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:25
L4	27	(overrun overflow (over adj (run flow))) with (underflow underrun (under adj (flow run))) with (add$3 insert$3 embed$3) with (remov$3 delect$3 discard$3 drop$4 substarct$3) and (idle primitive null)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:26
L5	103	(overrun overflow (over adj (run flow))) same (underflow underrun (under adj (flow run))) same (add$3 insert$3 embed$3) same (remov$3 delect$3 discard$3 drop$4 substarct$3) and (idle primitive null)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:27
L6	33	(overrun overflow (over adj (run flow))) with (underflow underrun (under adj (flow run))) with (add$3 insert$3 embed$3) with (remov$3 delet$3 discard$3 drop$4 substarct$3) and (idle primitive null)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:26
L7	189	(overrun overflow (over adj (run flow))) same (underflow underrun (under adj (flow run))) and (add$3 insert$3 embed$3) same (remov$3 delet$3 discard$3 drop$4 substarct$3) same (idle primitive null)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:30
L8	123	(overrun overflow (over adj (run flow))) same (underflow underrun (under adj (flow run))) and (add$3 insert$3 embed$3) same (remov$3 delet$3 discard$3 drop$4 substarct$3) same (idle primitive null) and pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:32
L9	30	(overrun overflow (over adj (run flow))) same (underflow underrun (under adj (flow run))) and (add$3 insert$3 embed$3) same (remov$3 delet$3 discard$3 drop$4 substarct$3) same (idle primitive null) and pointer and start adj symbol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:32